



NOTES:

1. METER BOX SHALL BE ARMORCAST A6001640PCX12-KO WITH A A6001947TDZ-H7 COVER AND 00361121 CAST IRON DROP IN LID, OR APPROVED EQUAL.
2. METER SETTERS SHALL BE FORD VBB77-18-11-77-NL OR APPROVED EQUAL.
3. ALL FITTINGS SHALL BE U.S. BRASS.
4. THE SERVICE LINE SHALL BE CONTINUOUS WITHOUT ANY ADDITIONAL SPLICES, JOINTS OR COUPLINGS.
5. METER LAYING LENGTH:
 - 1 1/2" = 13"
 - 2" = 17"
 - PLUS 1/2" FOR GASKETS
6. 1 1/2" METERS REQUIRE 2" x 1 1/2" METER FLANGE REDUCERS.
7. FINAL GRADE ADJUSTMENT SHALL BE PERFORMED BY MODIFYING & STACKING BOXES.
8. SERVICE TUBING SHALL BE 250 PSI RATED (SDR7), BLUE, HDPE OR TYPE K COPPER.
9. ALL FITTINGS CONNECTING TO METER SETTER SHALL BE GASKETED.
10. CITY SHALL PROVIDE WATER METER.

N.T.S.



2" IRRIGATION WATER SERVICE

CITY OF KELSO
DEPARTMENT OF
COMMUNITY DEVELOPMENT
& ENGINEERING

CITY ENGINEER APPROVAL: Michael Kardas, P.E.

x *[Signature]*

STANDARD PLAN NO.

KW-040-21

DATE:

MAY 2021